



Risk Assessment - Marchants Hill

Fire

Conforms with Regulatory Reform Order (Fire Safety) and Fire Risk Assessment in place?

Yes.

Security

Rooms lockable?

Yes.

External doors locked at night?

Yes. (see note 1) Night security patrol - yes.

Identification

Every adult to wear identity pass at all times?

Yes. (see note 1) Public access, close proximity to residential area, low risk due to security assessment.

Lighting

Control measures ensure adequate lighting of all walkways after dark?

Yes.

Slips & Trips

Are there any specific hazards identified in the risk assessment programme ? If so, detail.

Access to dining room. (see note 1)

Utility Integrity

Are all utility installations subject to inspection?

Yes, via HQ property dept.

Traffic Hazards

Are there any specific Traffic Hazards noted in the risk assessment programme? If so, detail.

Access to centre main entrance, guests warned, staff monitor, low risk. (see note 1)

Restricted Areas

Are the out-of-bounds areas appropriately identified? If so, detail.

Centre boundaries are clearly defined. (see note 1)

Transport

Are there any integral transport issues evident from the risk assessment programme?

No.

Fire Procedures

Insert detail of fire drill procedure.

Each new intake has a walk through explanation of the fire procedure on day of arrival. (see note 1)

Emergency Procedures

Is there an emergency action plan in place, that has been rehearsed?

Yes.

Sports Events

Where these are delivered in partnership with third party specialists, contracts and safety management systems are in place.

Note 1

An introductory site tour highlights all relevant hazards to the guests. These hazards are constantly monitored while guests are on site. As a result of this control measure, the risk level is low in all areas noted.